

KABU

Innovating Construction Chemicals

Standard Applications





Standard Application for TERRACE/ ROOF WATERPROOFING



Application Process

Coatin Code	No. of Coats	Mixing Ratio	Product	Approx Rate Per Sqft (as per MRP)	Warranty Code	Warranty Duration
4T	1	1 Bond : 1 Water : 2 Cement	KABU BOND	12.35	MW 1	10
	2	NA	GEO Textile	2		
	3	1 Bond : 1 Water : 2 Cement	KABU BOND	12.35		
	4	1 Bond : 1 Water : 2 Cement	KABU BOND	12.35		
				TOTAL		



Standard Application for BATHROOM / TOILET / PODIUM / BASEMENT EXTERIOR WALLS

Application Process

Coating No.	No. of Coats	Mixing Ratio	Product	Approx Rate Per Sqft (as per MRP)	Warranty Code	Warranty Duration
2B	1	1 Bond : 1 Water : 3 Cement	KABU BOND	16.47	MW 1	7
	2	1 Bond : 1 Water : 3 Cement	KABU BOND	16.47		
	TOTAL			32.94		



Standard Application for Exterior Walls / Dead Walls

Application Process

Coating No.	No. of Coats	Mixing Ratio	Product	Approx Rate Per Sqft (as per MRP)	Warranty Code	Warranty Duration
2W	1	1 Bond : 1 Water : 2 Cement	KABU BOND	12.35	MW 1	10
	2	1 Bond : 1 Water : 2 Cement	KABU BOND	12.35		
	TOTAL			24.7		