

KABU HEAVY is an application which protects your surface from crack formation. It is Cementous waterproofing having high DFT.to protect your surface.

Features:

- Hydrophobic
- Easy to apply
- 100% Bituminous FREE
- Protection against contraction / expansion of surface due to different weather conditions.

Application for Bathroom / Toilets / Balcony / Podium / Basement walls.

1. Can be applied on Tiles
2. Can be applied on China Mosaic
3. Can be Applied on Cementous surface
4. Can b applied on Bison panels.

#KabuMeinKaro

KABU HEAVY

Heavy duty coating with water holding capacity.

www.kabu.world



OLD METHOD

Cementous Coating

- Old traditional form of waterproofing
- Low DFT
- Low Tensile Strength
- Low durability
- Low abrasion resistant



NEW METHOD

KABU HEAVY

- 4 Layer Chemical Coating
- Easy to apply saving time and cost.
- Heavy duty coating with water holding capacity.



KABU HEAVY

PREMIUM APPLICATION PROCESS



Heavy duty coating with water holding capacity available with colour option.

START WITH SURFACE PREPERATION

Surface preparation is more important then applying the chemicals so prepare the surface at its best as mentioned below before starting the application.

Prepare the surface to be applied free from dust an uneven levels and make it smooth, then wash with clean water and let it dry.

Drying time of each layer depends on climatic conditions.

Then start with the steps mentioned.

#KaroLeakageKabuMein

Follow these steps after surface preparation.

No. of Coats	Mixing Ratio	Product
1	1 Part LOSKSIL : 20 LTR Water	KABU LOCKSIL
2	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
3	Direct Application	KABU BOND+
4	Direct Application	KABU BOND+