

# KABU

Waterproof with confidence



## **PREMIUM APPLICATIONS**

**International Technology,  
Made in India, To build India.**

**KABU**  
Waterproof with confidence

# India's No. 1 REPLACEMENT TECHNOLOGY of Waterproofing



We innovate construction chemicals with can replicate the old traditional form of civil applications during constructions. We have been highly instrumental



# KABU

Waterproof with confidence

Every premium waterproofing application  
comes with warranty upto



4

Water Tank  
& Swimming Pools

KABU HOLD  
(7 Layer Coating)

2

Terrace (New /Old)

KABU All Weather  
(7 Layer Coating)

5

Exterior Walls  
Old / New

KABU Stone  
(4 Layer Coating)

Terrace (New /Old)

KABU Art  
(9 Layer Coating)

3



Bath / Balcony

KABU HEAVY  
(4 Layer Coating)

1

Podium  
Garden / Pathway /  
Parking

KABU HEAVY  
(4 Layer Coating)

1

This building is in

**KABU**

Innovating Construction Chemicals

KABU All Weather is an application specially designed for your terrace which gives your terrace extra protection during all weather. It is a 7 layer coating system with all different types of chemicals i.e. Hydrophobic chemical + Fiber Mesh + Acrylic based chemicals forming a Cementous surface + UV protecting coating.

### **Features:**

- Hydrophobic
- High UV Resistance
- Rough Cementous surface
- Available in Grey an White Color Base
- High abrasion resistant

### **Application for Terrace**

### **Waterproofing :**

1. Can be applied on Tiles
2. Can be applied on China Mosaic
3. Can be Applied on Cementous surface
4. Can be applied on Metal roofs
5. Can b applied on Asbestos Sheets

**#KaroLeakageKabuMein**

# **KABU ALL WEATHER**

**Replacement of Brick-bat Coba with China Mosaic on new terraces with 10 years warranty\***

[www.kabu.world](http://www.kabu.world)



## OLD METHOD

### Applying Brick bat Coba

- Increases weight on surface upto 300kg per sqmt.
- High application time
- High in cost upto Rs. 240/- p.sqft
- Need to break before repair
- High cost and time for repair



## NEW METHOD

### KABU ALL WEATHER

- 7 Layer Chemical Coating
- Easy to apply saving time and cost.
- Light weight with upto 1mm DFT
- Can be applied on any surface during repairing of terrace.



## PREMIUM APPLICATION PROCESS



Replacement of Brick-bat Coba with China Mosaic on new terraces with 10 years warranty\*

### START WITH SURFACE PREPERATION

Surface preparation is more important than applying the chemicals so prepare the surface at its best as mentioned below before starting the application.

Prepare the surface to be applied free from dust and uneven levels and make it smooth, then wash with clean water and let it dry.

Drying time of each layer depends on climatic conditions.

Then start with the steps mentioned.

**#KaroLeakageKabuMein**

Follow these steps after surface preparation.

No. of Coats	Mixing Ratio	Product
1	1 Part LOSKSIL : 20 LTR Water	KABU LOCKSIL
2	1 Part BOND : 1 Part Water : 1 Part Cement	KABU BOND
3	Layover	GEO Textile
4	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
5	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
6	Direct Application	KABU CLEAR COAT
7	Direct Application	KABU CLEAR COAT

# KABU ART

KABU 9 layer is a application system designed specially for replacing the system of creating garden with artificial grass and EPDM flooring on any terrace or podium. It comes with customized design options as per your need. It is a 9 layer coating which covers waterproofing + heatproofing + paint + lamination.

## **Features:**

- Designer look like garden
- Hydrophobic
- High UV Resistance
- Rough Cementous surface
- High abrasion resistant

## **Application for Terrace**

## **Waterproofing :**

1. Can be applied on Tiles
2. Can be applied on China Mosaic
3. Can be Applied on Cementous surface
4. Can be applied on Metal roofs
5. Can b applied on Asbestos Sheets

**#KaroLeakageKabuMein**

**Replacement of garden on a terrace or podium with designer coating and rough finish with 10 years warranty.\***

[www.kabu.world](http://www.kabu.world)





## OLD METHOD

### Artificial Garden

- Increases weight on surface.
- Blocks the flow of water on surface
- High in cost upto Rs. 350/- p.sqft
- Needs repair every year.
- High replacement cost.



## NEW METHOD

### KABU ART (Garden coating)

- 9 Layer Chemical Coating
- Easy to apply saving time and cost.
- Light weight with upto 2 mm DFT
- Fastest application.
- Can be applied on any surface.



## PREMIUM APPLICATION PROCESS



Replacement of garden on a terrace or podium with designer coating with 10 years warranty.\*

### START WITH SURFACE PREPERATION

Surface preparation is more important then applying the chemicals so prepare the surface at its best as mentioned below before starting the application.

Prepare the surface to be applied free from dust an uneven levels and make it smooth, then wash with clean water and let it dry.

Drying time of each layer depends on climatic conditions.

Then start with the steps mentioned.

**#KaroLeakageKabuMein**

### Follow these steps after surface preparation.

No. of Coats	Mixing Ratio	Product
1	1 Part LOSKSIL : 20 LTR Water	KABU LOCKSIL
2	1 Part BOND : 1 Part Water : 1 Part Cement	KABU BOND
3	Layover	GEO Textile
4	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
5	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
6	Direct Application (with color as required)	KABU BOND +
7	Direct Application (with color as required)	KABU BOND +
8	Direct Application	KABU CLEAR COAT
9	Direct Application	KABU CLEAR COAT

KABU HEAVY is an application which protects your surface from crack formation. It is Cementous waterproofing having high DFT.to protect your surface.

**Features:**

- Hydrophobic
- Easy to apply
- 100% Bituminous FREE
- Protection against contraction / expansion of surface due to different weather conditions.

**Application for Bathroom / Toilets / Balcony / Podium / Basement walls.**

1. Can be applied on Tiles
2. Can be applied on China Mosaic
3. Can be Applied on Cementous surface
4. Can b applied on Bison panels.

**#KaroLeakageKabuMein**

# KABU HEAVY

**Heavy duty coating with water holding capacity.**

[www.kabu.world](http://www.kabu.world)



## OLD METHOD

### Cementous Coating

- Old traditional form of waterproofing
- Low DFT
- Low Tensile Strength
- Low durability
- Low abrasion resistant



## NEW METHOD

### KABU HEAVY

- 4 Layer Chemical Coating
- Easy to apply saving time and cost.
- Heavy duty coating with water holding capacity.



# KABU HEAVY

## PREMIUM APPLICATION PROCESS



Heavy duty coating with water holding capacity available with colour option.

### START WITH SURFACE PREPERATION

Surface preparation is more important then applying the chemicals so prepare the surface at its best as mentioned below before starting the application.

Prepare the surface to be applied free from dust an uneven levels and make it smooth, then wash with clean water and let it dry.

Drying time of each layer depends on climatic conditions.

Then start with the steps mentioned.

**#KaroLeakageKabuMein**

Follow these steps after surface preparation.

No. of Coats	Mixing Ratio	Product
1	1 Part LOSKSIL : 20 LTR Water	KABU LOCKSIL
2	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
3	Direct Application	KABU BOND+
4	Direct Application	KABU BOND+

# KABU HOLD

KABU Hold is a application system designed for holding the stagnant water inside any water tank or swimming pool. It replaces the old system of fixing tiles. It is a high end PU based application which is a 7 layer coating.

## Features:

- Multiple Colors available.
- Hydrophobic
- High UV Resistance
- Smooth glossy surface.
- High in strength to hold stagnant water.

## Application for Watertank & Swimming Pools:

1. Can be applied on Tiles
2. Can be applied on China Mosaic
3. Can be applied on Cementous surface

**#KaroLeakageKabuMein**

**Replacement of fixing tiles inside the water tank or swimming pool.**

[www.kabu.world](http://www.kabu.world)



## OLD METHOD

### Cementous coating + Tiles

- Frequent damages on surface
- Low DFT of coating
- Low Tensile Strength
- Breakage and high maintenance of tiles
- High cost of Tile fixing.



## NEW METHOD

### KABU HOLD

- 7 Layer Chemical Coating
- Food grade application
- 7 Coats = upto 2 mm DFT
- **Highest tensile strength**



# KABU HOLD

## PREMIUM APPLICATION PROCESS



Replacement of fixing tiles inside the water tank or swimming pool.

### START WITH SURFACE PREPERATION

Surface preparation is more important then applying the chemicals so prepare the surface at its best as mentioned below before starting the application.

Prepare the surface to be applied free from dust an uneven levels and make it smooth, then wash with clean water and let it dry.

Drying time of each layer depends on climatic conditions.

Then start with the steps mentioned.

**#KaroLeakageKabuMein**

Follow these steps after surface preparation.

No. of Coats	Mixing Ratio	Product to be Used
1	1 Part LOSKSIL : 20 LTR Water	KABU LOCKSIL
2	1 Part BOND : 1 Part Water : 1 Part Cement	KABU BOND
3	Layover	GEO Textile
4	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
5	1 Part BOND : 1 Part Water : 2 Part Cement	KABU BOND
6	Direct Application (with color if required)	KABU BOND+
7	Direct Application (with color if required)	KABU BOND+
8	Direct Application	KABU SHINE
9	Direct Application	KABU SHINE



# KABU STONE

KABU Stone is an application designed specially to replace the old traditional form of treatments for exterior walls i.e. applying texture + primer + paint. This application is a 4 layer coating for exterior walls which provides the strength of a stone to the wall.

## Features:

- Multiple Colors available.
- Hydrophobic
- High UV Resistance
- Rough Surface
- Strengthens the wall plaster.

## Application for exterior wall:

1. Can be applied on Tiles
2. Can be applied on Cementous surface

**#KaroLeakageKabuMein**

**Replacement of Texture + Primer + Paint  
on Exterior walls**

[www.kabu.world](http://www.kabu.world)



## OLD METHOD

### Texture + Elastomeric Paint

- Texture is not equipped with waterproofing properties.
- Primer + Elastomeric paint is waterproof but is not sufficient for waterproofing.
- Creates dampness within few years.



## NEW METHOD

### KABU STONE

- 4 Layer Chemical Coating
- Easy to apply
- 2 Coats Waterproofing + 2 Coats Paints with rough look



# KABU STONE

## PREMIUM APPLICATION PROCESS



Replacement of Texture + Primer +  
Paint on Exterior walls

### START WITH SURFACE PREPERATION

Surface preparation is more important then applying the chemicals so prepare the surface at its best as mentioned below before starting the application.

Prepare the surface to be applied free from dust an uneven levels and make it smooth, then wash with clean water and let it dry.

Drying time of each layer depends on climatic conditions.

Then start with the steps mentioned.

**#KaroLeakageKabuMein**

Follow these steps after surface preparation.

No. of Coats	Mixing Ratio	Product
1	1 Part LOSKSIL : 20 LTR Water	KABU LOCKSIL
2	1 Part BOND : 1 Part Water : 0.1 Part white Cement	KABU BOND
3	1 Part HeatProof : 0.25 Part Water (With Color)	KABU HEAT PROOF
4	1 Part HeatProof : 0.25 Part Water (With Color)	KABU HEAT PROOF

# Join our movement

# KABU

Waterproof with confidence



#KaroLeakageKabuMein

# KABU

**Innovating Construction Chemicals**

## **Corporate Office :**

221, Gold Crest Business Park, Kailash Esplanade  
Compound, Opp Shreyas Cinema,  
LBS Road, Ghatkopar West, Mumbai – 400086.

Email: [info@kabu.world](mailto:info@kabu.world)

## **Connect with us @**

Email : [info@kabu.world](mailto:info@kabu.world)  
Website : [www.kabu.world](http://www.kabu.world)  
Facebook : [www.facebook.com/kabuworld](http://www.facebook.com/kabuworld)  
Instagram : [www.instagram.com/kabu.world](http://www.instagram.com/kabu.world)  
YouTube : [www.youtube.com/@kabuworld](http://www.youtube.com/@kabuworld)



**080 6218 0982**